



General information

Product ID	5902983351443
GTIN	5902983351443
Manufacturer name	PAWBOL
Manufacturer short name	PAWB
Manufacturer product ID	D.3198DM-BN-13W
Net length	0.3 m
Net width	0.3 m
Net height	0.1 m
Net weight	0.7 kg
Net volume	9000000 mm ³
Discount group ID	D3
Bonus group ID	brak

ETIM description

Class	Ceiling-/wall luminaire (EC002892)
Group	Luminaires (EG000027)
Suitable for wall mounting	Yes
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
Suitable for light line configuration	No
Lamp type	LED not exchangeable
With light source	Yes
Suitable for number of light sources	1
Housing material	Plastic
Surface protection housing	Untreated
Housing colour	White

Material cover	Plastic, structured
Type of grid	None
Voltage type	AC
Nominal voltage	220..230 [V]
Light distribution	Asymmetric
Beam angle	Open beam/diffuse
Light outlet	Indirect
Impact strength	IK10
Protection class according to IEC 61140	II
Rated ambient temperature according to IEC 62722-2-1	-5..40 [°C]
Suitable for emergency lighting	No
With movement sensor	No
With light sensor	No
Covering of the luminaire with thermally insulating material possible	No
With air slots	No
Max. system power	13 [W]
Colour of light	White
Colour temperature	4000..4000 [K]
Width	305 [mm]
Height/depth	93 [mm]
Length	305 [mm]
Outer diameter	305 [mm]
Built-in length	0 [mm]
Built-in width	0 [mm]
Built-in height/depth	0 [mm]
Built-in diameter	0 [mm]
Number of poles	2
Connection type	Screwed terminal

Ordering information

Order unit	One (unit)
Minimum quantity	1
Quantity interval	1
Content unit	One (unit)
Content unit quantity	1

Attachments

Data sheet	https://epim.one/product-card/pdf/JPGjGHuea0myfg0CR3y681dd062dc88/lang/en
Data sheet	https://epim.one/product-card/pdf/JPGjGHuea0myfg0CR3y681dd062dc88/lang/pl

Main product picture

<https://files.epim.one/pekra/foto/D3190M.jpg>