



General information

Product ID	5907577484071
GTIN	5907577484071
Manufacturer name	OSPEL
Manufacturer short name	OSPEL
Manufacturer product ID	ŁP-8UL2/m/33
Net length	0.165 m
Net width	0.11 m
Net height	0.05 m
Net weight	0.093 kg
Net volume	907500 mm ³
Discount group ID	Podstawowa
Bonus group ID	Podstawowa
PKWiU	27.33.11.0
Customs commodity code	8536 50 05

ETIM description

Class	Dimmer (EC000025)
Group	Domestic switching devices (EG000013)
Assembly arrangement	Basic element with complete housing
Method of operation	Turn/push button
Number of modules (module system)	1
Number of units	1
App control via Bluetooth	No
Serial dimmer	Yes
Type of load	Universal and LED Retrofit

Substation input	No
Light value memory	Yes
Applicable with button	Yes
Applicable with movement sensor	No
Applicable with presence indicator	No
Applicable with time switch/timer	No
Applicable with transmission button	No
Applicable with infrared button	No
Min. brightness controllable	No
Mounting method	Flush-mounted
Type of fastening	Mounting with claw and screw
Material	Plastic
Material quality	Thermoplastic
Halogen free	Yes
Surface protection	Lacquered
Surface finishing	Glossy
Colour	Black
RAL-number (similar)	9005
Transparent	No
Suitable for degree of protection (IP)	IP20
Impact strength	IK03
Nominal voltage	230..230 [V]
Frequency	50..50 [Hz]
Control voltage	230..230 [V]
Nominal power inductive load	40..400 [VA]
Nominal power capacitive load	40..400 [VA]
Core cross section	1..1.5 [mm ²]
Device width	82 [mm]
Device height	82 [mm]
Device depth	52 [mm]
Min. depth of built-in installation box	60 [mm]

Ordering information

Order unit	One (unit)
Minimum quantity	1
Quantity interval	1
Content unit	One (unit)
Content unit quantity	1

Packing information

Packing unit code	One (unit)
-------------------	------------

Quantity	5
----------	---

Attachments

Data sheet	https://epim.one/product-card/pdf/kFyVZLZEJOsKzdilcdPUAfbu8MOdNUfk/lang/en
Data sheet	https://epim.one/product-card/pdf/kFyVZLZEJOsKzdilcdPUAfbu8MOdNUfk/lang/pl
Main product picture	https://files.epim.one/pekra/foto/lp-8u_m_33.jpg