



General information

| Product ID | 5905339088208 |
|-------------------------|------------------------|
| GTIN | 5905339088208 |
| Supplier | Kanlux |
| Manufacturer name | KANLUX |
| Manufacturer short name | KANL |
| Manufacturer product ID | 8820 |
| Brand name | Kanlux |
| Net length | 0.092 m |
| Net width | 0.042 m |
| Net height | 0.042 m |
| Net weight | 0.098 kg |
| Net volume | 162288 mm ³ |
| Discount group ID | Brak |
| Bonus group ID | Brak |
| Customs commodity code | 85365080 |
| | |

ETIM description

| Class | Movement sensor/presence detector complete (EC000133) |
|--|---|
| Group | Domestic switching devices (EG000013) |
| Model | Movement sensor |
| Movement sensor/presence detector technology | High frequency |
| Constant light control | Yes |
| HVAC-control | No |
| Forced switch off | No |
| Animal zone | No |

| Creep-under protection | No |
|--|-----------------|
| Background monitoring | No |
| Networkable | No |
| Scan angle | 360 [°] |
| Staircase light controller | Unknown |
| Max. reach sideways | 8 [m] |
| Max. reach frontally | 8 [m] |
| Diameter reach on floor | 16 [m] |
| Suitable for wireless transmission | No |
| Response value luminosity adjustable | Yes |
| Dim function with dimmer basic element | No |
| Mounting method | Surface mounted |
| Suitable for ceiling mounting | Yes |
| Material | Plastic |
| Halogen free | No |
| Surface protection | Untreated |
| Surface finishing | Matt |
| Colour | White |
| Transparent | No |
| Degree of protection (IP) | IP20 |
| Voltage type | AC |
| Frequency | 5060 [Hz] |
| Min. switch-on time | 5 [s] |
| Max. duty cycle | 12 [min] |
| Max. switching power | 1200 [W] |
| Width | 92 [mm] |
| Height | 42 [mm] |
| Depth | 42 [mm] |

Ordering information

| Order unit | One (unit) |
|-----------------------|------------|
| Minimum quantity | 1 |
| Quantity interval | 1 |
| Content unit | One (unit) |
| Content unit quantity | 1 |

Packing information

| Packing unit code | Packet |
|-------------------|--------|
| Quantity | 50 |

Attachments

| Data sheet | https://epim.one/product-card/pdf/yof0IPZut1FczPuTurohAkkk1h VluFbC/lang/pl |
|----------------------|--|
| Data sheet | https://b2b.kanlux.pl/storage/products/techniczna/pl/8820.pdf |
| Main product picture | https://b2b.kanlux.pl/storage/products/main/big_nw/8820.jpg |
| Main product picture | https://b2b.kanlux.pl/storage/products/schemat/mid/8820.jpg |

Related product

| Related product ID | 5905339004604 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5905339004611 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5905339076908 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5905339076915 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5908235905198 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5901752486737 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5902560328080 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5902560328103 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5907565612950 |
|--------------------|-----------------|
| Relation type | Similar product |

Related product

| Related product ID | 5908235905211 |
|--------------------|-----------------|
| Relation type | Similar product |